


目次

BHS型	1
BMSP型	4
DS型	6
DN型	8
DVS型	10
DVSH型	11
DVSL型	13
DL型	14
DV2型	16
DV型	18
DML2・DMLF型	20
DG型	23

■選定図



●BHS型

75mm井戸用

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
25	25BHS205.4S	25BHS205.4S	BHSP1116		0.010	48.0	0.045	15.0

100mm井戸用

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
25	25BHS165.6SB	25BHS165.6SB	BHS41033		0.013	82.0	0.040	45.0
	25BHS185.75B	25BHS185.75B	BHS41133		0.013	90.0	0.040	58.0
	25BHS2751.1B	25BHS2751.1B	BHS41143		0.013	143.0	0.040	92.0
	25BHS3651.5B	25BHS3651.5B	BHS41153		0.013	186.0	0.040	116.0
	25BHS4451.9B	25BHS4451.9B	BHS41163		0.013	227.0	0.040	141.0
32	25BHS5152.2B	25BHS5152.2B	BHS41173		0.013	275.0	0.040	181.0
	32BHS85.6SB	32BHS85.6SB	BHS41053		0.030	41.0	0.090	23.0
	32BHS105.75B	32BHS105.75B	BHS41233		0.030	53.0	0.090	32.0
	32BHS1551.1B	32BHS1551.1B	BHS41243		0.030	79.0	0.090	47.0
	32BHS2051.5B	32BHS2051.5B	BHS41253		0.030	105.0	0.090	62.0
40	32BHS2952.2B	32BHS2952.2B	BHS41263		0.030	154.0	0.090	94.0
	32BHS3652.7B	32BHS3652.7B	BHS41273		0.030	189.0	0.090	104.0
	32BHS4853.7B	32BHS4853.7B	BHS41283		0.030	253.0	0.090	139.0
	40BHS55.75B	40BHS55.75B	BHS41333		0.060	27.0	0.180	13.5
	40BHS751.1B	40BHS751.1B	BHS41343		0.060	38.5	0.180	20.0
50	40BHS1051.5B	40BHS1051.5B	BHS41353		0.060	54.0	0.180	27.0
	40BHS1452.2B	40BHS1452.2B	BHS41373		0.060	77.0	0.180	41.0
	40BHS1852.7B	40BHS1852.7B	BHS41383		0.060	100.0	0.180	51.0
	40BHS2353.7B	40BHS2353.7B	BHS41393		0.060	125.0	0.180	64.0
	50BHS751.5B	50BHS751.5B	BHS41433		0.120	30.0	0.300	12.0
50	50BHS951.9B	50BHS951.9B	BHS41443		0.120	39.0	0.300	18.0
	50BHS1052.2B	50BHS1052.2B	BHS41453		0.120	43.5	0.300	17.5
	50BHS1352.7B	50BHS1352.7B	BHS41463		0.120	55.0	0.300	25.0
	50BHS1753.7B	50BHS1753.7B	BHS41473		0.120	72.0	0.300	29.0

150mm井戸用

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
40	40BHS551.5B	40BHS551.5B	BHS61213		0.070	51.0	0.160	33.5
	40BHS752.2B	40BHS752.2B	BHS61233		0.070	73.0	0.160	50.0
	40BHS952.7B	40BHS952.7B	BHS61243		0.070	93.0	0.160	62.5
	40BHS1253.7B	40BHS1253.7B	BHS61253		0.070	125.0	0.160	84.0
	40BHS1555.5B	40BHS1555.5B	BHS61262		0.070	157.0	0.160	108.0
50	40BHS1855.5B	40BHS1855.5B	BHS61272		0.070	186.0	0.160	127.0
	40BHS2157.5B	40BHS2157.5B	BHS61282		0.070	218.0	0.160	145.0
	40BHS2557.5B	40BHS2557.5B	BHS61612		0.070	259.0	0.160	173.0
	40BHS29511B	40BHS29511B	BHS61622		0.070	301.0	0.160	201.0
	40BHS32511B	40BHS32511B	BHS61632		0.070	331.0	0.160	222.0
50	50BHS351.5B	50BHS351.5B	BHS61313		0.125	29.0	0.275	16.5
	50BHS552.2B	50BHS552.2B	BHS61333		0.125	48.0	0.275	27.5
	50BHS752.7B	50BHS752.7B	BHS61343		0.125	64.0	0.275	37.0
	50BHS853.7B	50BHS853.7B	BHS61353		0.125	76.0	0.275	45.0
	50BHS1255.5B	50BHS1255.5B	BHS61372		0.125	115.0	0.275	67.0
65	50BHS1557.5B	50BHS1557.5B	BHS61382		0.125	144.0	0.275	88.0
	50BHS1857.5B	50BHS1857.5B	BHS61392		0.125	173.0	0.275	104.0
	50BHS22511B	50BHS22511B	BHS61712		0.125	210.0	0.275	120.0
	50BHS26511B	50BHS26511B	BHS61722		0.125	248.0	0.275	142.0
	50BHS30515B	50BHS30515B	BHS61732		0.125	286.0	0.275	163.0
65	50BHS34515B	50BHS34515B	BHS61742		0.125	324.0	0.275	185.0
	65BHS452.2B	65BHS452.2B	BHS61413		0.225	31.0	0.470	15.0
	65BHS552.7B	65BHS552.7B	BHS61423		0.225	39.0	0.495	15.0
	65BHS653.7B	65BHS653.7B	BHS61433		0.225	51.0	0.500	22.0
	65BHS955.5B	65BHS955.5C	BHS61453		0.225	76.0	0.500	36.0
65	65BHS1257.5B	65BHS1257.5B	BHS61462		0.225	103.0	0.500	48.0
	65BHS15511B	65BHS15511B	BHS61472		0.225	129.0	0.500	60.0
	65BHS18511B	65BHS18511B	BHS61482		0.225	153.0	0.500	72.0
	65BHS21515B	65BHS21515B	BHS61492		0.225	178.0	0.500	84.0
	65BHS25515B	65BHS25515B	BHS61812		0.225	212.0	0.500	100.0
80	65BHS30518B	65BHS30518B	BHS61822		0.225	254.0	0.500	120.0
	65BHS35522B	65BHS35522B	BHS61832		0.225	297.0	0.500	140.0
	80BHS353.7	80BHS353.7	BHSS6152		0.400	32.1	0.750	15.0
	80BHS555.5	80BHS555.5	BHSS6153		0.400	51.1	0.750	22.4
	80BHS657.5	80BHS657.5	BHSS6154		0.400	64.7	0.750	30.8
80	80BHS9511	80BHS9511	BHSS6155		0.400	97.3	0.750	46.7
	80BHS12515	80BHS12515	BHSS6156		0.400	130	0.750	62.5
	80BHS15518	80BHS15518	BHSS6157		0.400	162	0.750	78.3
	80BHS18522	80BHS18522	BHSS6158		0.400	195	0.750	94.2
	80BHSJ353.7	80BHSJ353.7	BHSJ6152		0.600	22.6	0.950	15.0
80	80BHSJ455.5	80BHSJ455.5	BHSJ6153		0.600	33.0	1.100	15.3
	80BHSJ557.5	80BHSJ557.5	BHSJ6154		0.600	44.3	1.100	23.3
	80BHSJ8511	80BHSJ8511	BHSJ6155		0.600	66.6	1.100	31.8
	80BHSJ10515	80BHSJ10515	BHSJ6156		0.600	89.3	1.100	47.8
	80BHSJ12518	80BHSJ12518	BHSJ6157		0.600	109.0	1.100	60.4
80	80BHSJ15522	80BHSJ15522	BHSJ6158		0.600	132.0	1.100	69.4

200mm井戸用

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
80	80BHS253.7B	80BHS253.7B	BHS81322		0.350	32.5	0.800	16.5
	80BHS355.5B	80BHS355.5B	BHS81332		0.350	49.0	0.800	25.0
	80BHS457.5B	80BHS457.5B	BHS81342		0.350	65.0	0.800	33.0
	80BHS6511B	80BHS6511B	BHS81352		0.350	98.0	0.800	50.0
	80BHS8515B	80BHS8515B	BHS81362		0.350	130.5	0.800	66.5
80	80BHS10518D	80BHS10518D	BHS81374		0.350	163.0	0.800	83.0
	80BHS12522D	80BHS12522D	BHS81384		0.350	195.5	0.800	99.5
	80BHS16530C	80BHS16530C	BHS81613		0.350	261.0	0.800	133.0
	80BHS20537C	80BHS20537C	BHS81623		0.350	326.0	0.800	166.0
	100BHS255.5B	100BHS255.5B	BHS81422		0.650	27.0	1.300	15.0
100	100BHS357.5B	100BHS357.5B	BHS81432		0.650	40.0	1.400	16.0
	100BHS4511B	100BHS4511B	BHS81442		0.650	55.0	1.400	26.0
	100BHS5515B	100BHS5515B	BHS81452		0.650	73.0	1.400	37.0
	100BHS6518D	100BHS6518D	BHS81464		0.650	90.0	1.400	46.0
	100BHS8522D	100BHS8522D	BHS81474		0.650	110.0	1.400	54.0
100	100BHS9526C	100BHS9526C	BHS81483		0.650	129.0	1.400	66.0
	100BHS10530C	100BHS10530C	BHS81493		0.650	150.0	1.400	78.0
	100BHS12537C	100BHS12537C	BHS81503		0.650	175.0	1.400	91.0
	100BHS15545C	100BHS15545C	BHS81513		0.650	220.0	1.400	121.0
	100BHSJ257.5	100BHSJ257.5	BHSJ8143		1.000	23.3	2.050	15.0
100	100BHSJ2511	100BHSJ2511	BHSJ8144		1.000	30.9	2.300	19.7
	100BHSJ3515	100BHSJ3515	BHSJ8145		1.000	43.3	2.300	26.5
	100BHSJ4518A	100BHSJ4518A	BHSJ81461		1.000	54.7	2.300	31.7
	100BHSJ4522A	100BHSJ4522A	BHSJ81471		1.000	62.1	2.300	40.4
	100BHSJ5526	100BHSJ5526	BHSJ8148		1.000	74.5	2.300	47.2
100	100BHSJ6530	100BHSJ6530	BHSJ8149		1.000	87.0	2.300	53.9
	100BHSJ7537	100BHSJ7537	BHSJ8150		1.000	105	2.300	67.9
	100BHSJ8545	100BHSJ8545	BHSJ8151		1.000	126	2.300	84.0
	100BHSJ10555	100BHSJ10555	BHSJ8152		1.000	155	2.300	102

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

●BHS型

250mm井戸用

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
125	125BHSS257.5	125BHSS257.5	BHSS10132		1.000	23.3	2.050	15.0
	125BHSS2511	125BHSS2511	BHSS10133		1.000	30.9	2.300	19.7
	125BHSS3515	125BHSS3515	BHSS10134		1.000	43.3	2.300	26.5
	125BHSS4518A	125BHSS4518A	BHSS10135		1.000	54.7	2.300	31.7
	125BHSS4522A	125BHSS4522A	BHSS10136		1.000	62.1	2.300	40.4
	125BHSS5526	125BHSS5526	BHSS10137		1.000	74.5	2.300	47.2
	125BHSS6530	125BHSS6530	BHSS10138		1.000	87.0	2.300	53.9
	125BHSS7537	125BHSS7537	BHSS10139		1.000	105	2.300	67.9
	125BHSS8545	125BHSS8545	BHSS10140		1.000	126	2.300	84.0
	125BHSS10555	125BHSS10555	BHSS10141		1.000	155	2.300	102
	125BHSSJ57.5	125BHSSJ57.5	BHSSJ10132		1.400	19.0	2.050	15.0
	125BHSSJ511	125BHSSJ511	BHSSJ10133		1.400	24.8	2.750	15.0
	125BHSSJ2515	125BHSSJ2515	BHSSJ10134		1.400	38.5	2.460	22.6
	125BHSSJ2518A	125BHSSJ2518A	BHSSJ10135		1.400	43.7	2.640	25.9
	125BHSSJ2522A	125BHSSJ2522A	BHSSJ10136		1.400	49.9	2.800	29.0
	125BHSSJ3526	125BHSSJ3526	BHSSJ10137		1.400	62.4	2.590	36.5
	125BHSSJ3530	125BHSSJ3530	BHSSJ10138		1.400	69.6	2.720	40.1
	125BHSSJ4537	125BHSSJ4537	BHSSJ10139		1.400	87.4	2.620	52.7
	125BHSSJ4545	125BHSSJ4545	BHSSJ10140		1.400	101	2.800	60.1
	125BHSSJ5555	125BHSSJ5555	BHSSJ10141		1.400	124	2.800	72.4

300mm井戸用

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
150	150BHSS511	150BHSS511	BHSS12132		1.800	18.1	3.060	15.0
	150BHSS515	150BHSS515	BHSS12133		1.800	22.3	3.630	15.0
	150BHSS2515	150BHSS2515	BHSS12134		1.800	25.0	3.040	20.4
	150BHSS2518A	150BHSS2518A	BHSS12135		1.800	32.6	3.210	22.7
	150BHSS2522A	150BHSS2522A	BHSS12136		1.800	38.2	3.500	26.9
	150BHSS2526	150BHSS2526	BHSS12137		1.800	43.4	3.690	30.0
	150BHSS3530	150BHSS3530	BHSS12138		1.800	53.2	3.450	36.7
	150BHSS3537	150BHSS3537	BHSS12139		1.800	62.7	3.700	42.1
	150BHSS4545	150BHSS4545	BHSS12140		1.800	77.2	3.460	56.6
	150BHSS4555	150BHSS4555	BHSS12141		1.800	90.4	3.700	64.5
	150BHSSJ518A	150BHSSJ518A	BHSSJ12135		2.400	24.0	4.630	15.0
	150BHSSJ2522A	150BHSSJ2522A	BHSSJ12136		2.400	31.6	4.050	21.0
	150BHSSJ2526	150BHSSJ2526	BHSSJ12137		2.400	37.2	4.270	23.4
	150BHSSJ2530	150BHSSJ2530	BHSSJ12138		2.400	41.5	4.490	25.8
	150BHSSJ2537	150BHSSJ2537	BHSSJ12139		2.400	49.3	4.800	29.4
	150BHSSJ3545	150BHSSJ3545	BHSSJ12140		2.400	62.4	4.500	38.3
	150BHSSJ3555	150BHSSJ3555	BHSSJ12141		2.400	73.3	4.800	43.4

150mm井戸用 (FC)

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
80	80BHSE453.7A	80BHSE453.7A	BHSE61521		0.400	36.5	0.700	15.0
	80BHSE655.5A	80BHSE655.5A	BHSE61531		0.400	55.0	0.700	23.0
	80BHSE857.5A	80BHSE857.5A	BHSE61541		0.400	74.0	0.700	31.0
	80BHSE11511A	80BHSE11511A	BHSE61551		0.400	107.0	0.700	50.0
	80BHSE15515A	80BHSE15515A	BHSE61561		0.400	145.0	0.700	70.0

250mm井戸用 (FC)

口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
125	125BHSS57.5A	125BHSS57.5B	BHSS101322	性能変更あり	1.000	25.5	1.973	15.0
	125BHSS2511A	125BHSS2511A	BHSS101331		1.000	41.5	2.080	15.0
	125BHSS2515A	125BHSS2515A	BHSS101341		1.000	52.5	2.300	23.0
	125BHSS2518C	125BHSS2518C	BHSS101353		1.000	58.0	2.300	29.0
	125BHSS3522C	125BHSS3522C	BHSS101363		1.000	78.0	2.300	33.0
	125BHSS4526B	125BHSS4526B	BHSS101372		1.000	90.0	2.000	43.0
	125BHSS4530B	125BHSS4530B	BHSS101382		1.000	105.0	2.300	46.0
	125BHSS5537B	125BHSS5537B	BHSS101392		1.000	130.0	2.300	56.0
	125BHSS5545B	125BHSS5545B	BHSS101402		1.000	143.0	2.300	69.0
	125BHSS6555B	125BHSS6555B	BHSS101412		1.000	176.0	2.300	82.0

300mm井戸用 (FC)


口径 mm	旧機名	新機名	新商品コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
150	150BHSS15A	150BHSS15A	BHST121321		1.800	28.5	3.500	16.0
	150BHSS18C	150BHSS18C	BHST121333		1.800	30.5	3.500	18.5
	150BHSS2518C	廃止		統廃合	1.800	33.5	3.400	19.5
	150BHSS2522C	150BHSS2522C	BHST121353		1.800	38.0	3.500	25.0
	150BHSS2526B	150BHSS2526B	BHST121362		1.800	49.0	3.300	27.0
	150BHSS2530B	150BHSS2530B	BHST121372		1.800	56.0	3.500	30.5
	150BHSS2537B	150BHSS2537B	BHST121382		1.800	60.0	3.500	36.0
	150BHSS3537B	150BHSS3537B	BHST121392		1.800	72.0	3.300	42.0
	150BHSS3545B	150BHSS3545B	BHST121402		1.800	85.0	3.500	48.0
	150BHSS4555B	150BHSS4555B	BHST121412		1.800	104.0	3.300	63.0

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

BMSP型

■選定図




●BMSP型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m³/min	全揚程 m	吐出し量 m³/min	全揚程 m
32	32BMSP5. 4A	32BMSP5. 4B	BMSP1123	性能変更あり	0. 050	14. 5	0. 125	9. 0
	32BMSP5. 75A	32BMSP5. 75A	BMSP1132		0. 050	23. 0	0. 125	16. 5
	32BMSP251. 5A	32BMSP251. 5A	BMSP1142		0. 050	42. 5	0. 125	30. 5
	32BMSP352. 2A	32BMSP352. 2A	BMSP1152		0. 050	64. 0	0. 125	46. 0
	32BMSP553. 7A	32BMSP553. 7A	BMSP1162		0. 050	106. 5	0. 125	76. 5
40	40BMSP5. 4A	40BMSP5. 4A	BMSP1222		0. 075	11. 5	0. 250	5. 3
	40BMSP5. 75A	40BMSP5. 75A	BMSP1232		0. 075	17. 0	0. 250	10. 8
	40BMSP51. 5A	40BMSP51. 5A	BMSP1242		0. 075	29. 0	0. 250	20. 8
	40BMSP252. 2A	40BMSP252. 2A	BMSP1252		0. 075	47. 0	0. 250	27. 5
	40BMSP353. 7A	40BMSP353. 7A	BMSP1262		0. 075	71. 0	0. 250	45. 0
	40BMSP555. 5A	40BMSP555. 5B	BMSP1274		0. 075	120. 0	0. 250	70. 0
50	50BMSP5. 75A	50BMSP5. 75A	BMSP1322		0. 104	14. 5	0. 375	5. 1
	50BMSP51. 5A	50BMSP51. 5A	BMSP1332		0. 104	22. 0	0. 400	14. 0
	50BMSP252. 2A	50BMSP252. 2A	BMSP1342		0. 104	35. 0	0. 400	18. 0
	50BMSP253. 7A	50BMSP253. 7A	BMSP1352		0. 104	51. 0	0. 400	31. 0
	50BMSP355. 5A	50BMSP355. 5A	BMSP1363		0. 104	77. 0	0. 400	46. 0
	50BMSP457. 5A	50BMSP457. 5A	BMSP1373		0. 104	105. 0	0. 400	65. 0
	50BMSP5511A	50BMSP5511A	BMSP1383		0. 104	130. 0	0. 400	87. 0
	65BMSP51. 5A	65BMSP51. 5A	BMSP1432		0. 208	15. 0	0. 700	6. 5
65	65BMSP52. 2A	65BMSP52. 2A	BMSP1442		0. 208	21. 0	0. 700	9. 6
	65BMSP253. 7A	65BMSP253. 7A	BMSP1452		0. 208	40. 0	0. 700	13. 0
	65BMSP255. 5A	65BMSP255. 5A	BMSP1463		0. 208	52. 0	0. 700	27. 5
	65BMSP357. 5A	65BMSP357. 5A	BMSP1473		0. 208	73. 0	0. 700	36. 0
	65BMSP4511A	65BMSP4511A	BMSP1483		0. 208	104. 0	0. 700	56. 0
	65BMSP6515A	65BMSP6515A	BMSP1493		0. 208	140. 0	0. 700	72. 0
	80BMSP52. 2A	80BMSP52. 2A	BMSP1512		0. 400	15. 5	1. 120	5. 7
80	80BMSP53. 7A	80BMSP53. 7A	BMSP1522		0. 400	21. 2	1. 250	11. 2
	80BMSP255. 5A	80BMSP255. 5A	BMSP1532		0. 400	36. 0	1. 250	13. 5
	80BMSP257. 5A	80BMSP257. 5A	BMSP1542		0. 400	43. 5	1. 250	25. 5
	80BMSP3511A	80BMSP3511A	BMSP1552		0. 400	62. 0	1. 250	34. 0
	80BMSP4515A	80BMSP4515A	BMSP1572		0. 400	85. 0	1. 250	50. 5
	100BMSP515	100BMSP515	BMSP163		0. 800	46. 0	2. 800	19. 0
100	100BMSP518	100BMSP518	BMSP164		0. 800	52. 0	2. 800	25. 0
	100BMSP522	100BMSP522	BMSP165		0. 800	58. 0	2. 800	30. 0
	100BMSP2530	100BMSP2530	BMSP166		0. 800	88. 0	2. 800	34. 0
	100BMSP2537	100BMSP2537	BMSP167		0. 800	102. 0	2. 800	48. 0
	100BMSP2545	100BMSP2545	BMSP168		0. 800	115. 0	2. 800	64. 0

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

■選定図



●DS型

口径 mm	旧機名	新機名	新商品 コード	備考
32	32DS5.15S	32DS5.15S	DS101	
40	40DS5.25S	40DS5.25S	DS102	
	40DS5.25	40DS5.25	DS111	
50	50DS5.4S	50DS5.4SA	DS1031	性能変更あり
	50DS5.4	50DS5.4A	DS1211	性能変更あり
	50DS5.75	50DS5.75A	DS1221	性能変更あり
	50DS51.5	50DS51.5	DS123	
	50DS52.2	50DS52.2	DS124	
	50DS53.7	50DS53.7	DS125	
	50DS55.5	50DS55.5	DS126	
	50DS57.5	50DS57.5	DS127	
65	65DS51.5	65DS51.5A	DS1321	
80	80DS52.2	80DS52.2	DS142	
	80DS53.7	80DS53.7A	DS1431	
100	100DS55.5	100DS55.5	DS152	
	100DS57.5	100DS57.5A	DS1531	

吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
0.030	5.7	0.130	2.0
0.030	8.6	0.200	2.0
0.030	8.6	0.200	2.0
0.030	13.6	0.204	2.5
0.030	13.6	0.204	2.5
0.030	17.8	0.267	2.0
0.030	23.7	0.400	8.4
0.100	26.2	0.500	11.9
0.100	36.1	0.500	23.3
0.100	41.5	0.500	28.3
0.100	53.3	0.600	35.6
0.240	16.6	0.650	4.5
0.360	18.3	0.800	4.5
0.500	22.9	1.060	6.0
0.340	30.4	1.350	7.0
0.100	38.6	1.500	7.0

●DSA型

口径 mm	旧機名	新機名	新商品 コード	備考
32	32DSA5.15S	32DSA5.15S	DSA101	
40	40DSA5.25S	40DSA5.25S	DSA102	
	40DSA5.25	40DSA5.25	DSA111	
50	50DSA5.4S	50DSA5.4SA	DSA1031	性能変更あり
	50DSA5.4	50DSA5.4A	DSA1211	性能変更あり
	50DSA5.75	50DSA5.75A	DSA1221	性能変更あり
	50DSA51.5	50DSA51.5	DSA123	
	50DSA52.2	50DSA52.2	DSA124	
	50DSA53.7	50DSA53.7	DSA125	
65	65DSA51.5	65DSA51.5A	DSA1321	
80	80DSA52.2	80DSA52.2	DSA142	
	80DSA53.7	80DSA53.7A	DSA1431	

吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
0.030	5.7	0.130	2.0
0.030	8.6	0.200	2.0
0.030	8.6	0.200	2.0
0.030	13.6	0.204	2.5
0.030	13.6	0.204	2.5
0.030	17.8	0.267	2.0
0.030	23.7	0.400	8.4
0.100	26.2	0.500	11.9
0.100	36.1	0.500	23.3
0.240	16.6	0.650	4.5
0.360	18.3	0.800	4.5
0.500	22.9	1.060	6.0

●DSJ型

口径 mm	旧機名	新機名	新商品 コード	備考
32	32DSJ5.15S	32DSJ5.15S	DSJ101	
40	40DSJ5.25S	40DSJ5.25S	DSJ102	
	40DSJ5.25	40DSJ5.25	DSJ111	
50	50DSJ5.4S	50DSJ5.4SA	DSJ1031	性能変更あり
	50DSJ5.4	50DSJ5.4A	DSJ1211	性能変更あり
	50DSJ5.75	50DSJ5.75A	DSJ1221	性能変更あり
	50DSJ51.5	50DSJ51.5	DSJ123	
	50DSJ52.2	50DSJ52.2	DSJ124	
	50DSJ53.7	50DSJ53.7	DSJ125	
65	65DSJ51.5	65DSJ51.5A	DSJ1321	
80	80DSJ52.2	80DSJ52.2	DSJ142	
	80DSJ53.7	80DSJ53.7A	DSJ1431	

吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
0.030	5.7	0.130	2.0
0.030	8.6	0.200	2.0
0.030	8.6	0.200	2.0
0.030	13.6	0.204	2.5
0.030	13.6	0.204	2.5
0.030	17.8	0.267	2.0
0.030	23.7	0.400	8.4
0.100	26.2	0.500	11.9
0.100	36.1	0.500	23.3
0.240	16.6	0.650	4.5
0.360	18.3	0.800	4.5
0.500	22.9	1.060	6.0

●DSH型


口径 mm	旧機名	新機名	新商品 コード	備考
50	50DSH5.4	50DSH5.4A	DSH1211	性能変更あり
	50DSH5.75	50DSH5.75A	DSH1221	性能変更あり
	50DSH51.5	50DSH51.5	DSH123	
	50DSH52.2	50DSH52.2	DSH124	
	50DSH53.7	50DSH53.7	DSH125	
65	65DSH51.5	65DSH51.5A	DSH1321	
80	80DSH52.2	80DSH52.2	DSH142	
	80DSH53.7	80DSH53.7A	DSH1431	

吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
0.030	13.6	0.204	2.5
0.030	17.8	0.267	2.0
0.030	23.7	0.400	8.4
0.100	26.2	0.500	11.9
0.100	36.1	0.500	23.3
0.240	16.6	0.650	4.5
0.360	18.3	0.800	4.5
0.500	22.9	1.060	6.0

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

■選定図



●DN型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
40	40DN5.25S	40DN5.25S	DN102		0.040	7.9	0.240	2.0
	40DN5.25	40DN5.25	DN111		0.040	7.9	0.240	2.0
50	50DN5.4S	50DN5.4S	DN103		0.050	9.8	0.320	2.6
	50DN5.4	50DN5.4	DN121		0.050	9.8	0.320	2.6
	50DN5.75	50DN5.75	DN122		0.050	12.2	0.430	3.2
	50DN51.5	50DN51.5	DN123		0.050	19.0	0.500	8.9
	50DN52.2	50DN52.2	DN124		0.050	22.0	0.550	10.9
	65DN51.5	65DN51.5A	DN1321		0.300	12.0	0.950	3.0
65	65DN52.2	65DN52.2	DN133		0.300	14.8	1.070	4.3
	65DN53.7	65DN53.7A	DN1341	性能変更あり	0.300	20.1	1.320	4.0
	80DN51.5	80DN51.5A	DN1421		0.300	12.0	0.950	3.0
80	80DN52.2	80DN52.2	DN143		0.300	14.8	1.070	4.3
	80DN53.7	80DN53.7A	DN1441	性能変更あり	0.300	20.1	1.320	4.0

●DNA型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
40	40DNA5.25S	40DNA5.25S	DNA102		0.040	7.9	0.240	2.0
	40DNA5.25	40DNA5.25	DNA111		0.040	7.9	0.240	2.0
50	50DNA5.4S	50DNA5.4S	DNA103		0.050	9.8	0.320	2.6
	50DNA5.4	50DNA5.4	DNA121		0.050	9.8	0.320	2.6
	50DNA5.75	50DNA5.75	DNA122		0.050	12.2	0.430	3.2
	50DNA51.5	50DNA51.5	DNA123		0.050	19.0	0.500	8.9
	50DNA52.2	50DNA52.2	DNA124		0.050	22.0	0.550	10.9
	65DNA51.5	65DNA51.5A	DNA1321		0.300	12.0	0.950	3.0
65	65DNA52.2	65DNA52.2	DNA133		0.300	14.8	1.070	4.3
	65DNA53.7	65DNA53.7A	DNA1341	性能変更あり	0.300	20.1	1.320	4.0
	80DNA51.5	80DNA51.5A	DNA1421		0.300	12.0	0.950	3.0
80	80DNA52.2	80DNA52.2	DNA143		0.300	14.8	1.070	4.3
	80DNA53.7	80DNA53.7A	DNA1441	性能変更あり	0.300	20.1	1.320	4.0

●DNJ型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
40	40DNJ5.25S	40DNJ5.25S	DNJ102		0.040	7.9	0.240	2.0
	40DNJ5.25	40DNJ5.25	DNJ111		0.040	7.9	0.240	2.0
50	50DNJ5.4S	50DNJ5.4S	DNJ103		0.050	9.8	0.320	2.6
	50DNJ5.4	50DNJ5.4	DNJ121		0.050	9.8	0.320	2.6
	50DNJ5.75	50DNJ5.75	DNJ122		0.050	12.2	0.430	3.2
	50DNJ51.5	50DNJ51.5	DNJ123		0.050	19.0	0.500	8.9
	50DNJ52.2	50DNJ52.2	DNJ124		0.050	22.0	0.550	10.9
	65DNJ51.5	65DNJ51.5A	DNJ1321		0.300	12.0	0.950	3.0
65	65DNJ52.2	65DNJ52.2	DNJ133		0.300	14.8	1.070	4.3
	65DNJ53.7	65DNJ53.7A	DNJ1341	性能変更あり	0.300	20.1	1.320	4.0
	80DNJ51.5	80DNJ51.5A	DNJ1421		0.300	12.0	0.950	3.0
80	80DNJ52.2	80DNJ52.2	DNJ143		0.300	14.8	1.070	4.3
	80DNJ53.7	80DNJ53.7A	DNJ1441	性能変更あり	0.300	20.1	1.320	4.0

●DNH型


口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DNH5.4	50DNH5.4	DNH121		0.050	9.8	0.320	2.6
	50DNH5.75	50DNH5.75	DNH122		0.050	12.2	0.430	3.2
	50DNH51.5	50DNH51.5	DNH123		0.050	19.0	0.500	8.9
	50DNH52.2	50DNH52.2	DNH124		0.050	22.0	0.550	10.9
65	65DNH51.5	65DNH51.5A	DNH1321		0.300	12.0	0.950	3.0
	65DNH52.2	65DNH52.2	DNH133		0.300	14.8	1.070	4.3
	65DNH53.7	65DNH53.7A	DNH1341	性能変更あり	0.300	20.1	1.320	4.0
80	80DNH51.5	80DNH51.5A	DNH1421		0.300	12.0	0.950	3.0
	80DNH52.2	80DNH52.2	DNH143		0.300	14.8	1.070	4.3
	80DNH53.7	80DNH53.7A	DNH1441	性能変更あり	0.300	20.1	1.320	4.0

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

DVS型


■選定図



DVSH型

■選定図

DVSH 50Hz



DVS・DVSH型

●DVS型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
40	40DVS5.15SA	40DVS5.15SA	DVS1022		0.020	5.3	0.070	3.1
	40DVS5.15A	40DVS5.15A	DVS1222		0.020	5.3	0.070	3.1
	40DVS5.25SA	40DVS5.25SB	DVS1033	性能変更あり	0.020	8.2	0.083	4.9
	40DVS5.25A	40DVS5.25B	DVS1233	性能変更あり	0.020	8.2	0.083	4.9
50	50DVS5.15SA	50DVS5.15SA	DVS1042		0.040	4.0	0.143	1.5
	50DVS5.15A	50DVS5.15A	DVS1322		0.040	4.0	0.143	1.5
	50DVS5.25SA	50DVS5.25SA	DVS1052		0.035	6.6	0.214	1.8
	50DVS5.25A	50DVS5.25A	DVS1332		0.035	6.6	0.214	1.8
	50DVS5.4SA	50DVS5.4SB	DVS1063	性能変更あり	0.035	9.7	0.243	3.0
	50DVS5.4A	50DVS5.4B	DVS1343	性能変更あり	0.035	9.7	0.243	3.0
	50DVS5.75A	50DVS5.75A	DVS1352		0.035	14.8	0.200	9.0
	50DVS51.5	50DVS51.5A	DVS1362	性能変更あり	0.035	20.4	0.220	12.5
	50DVS55.5	50DVS55.5	DVS139		—	—	—	—
	50DVS57.5	50DVS57.5	DVS140		—	—	—	—
	65DVS5.75A	65DVS5.75A	DVS1422		0.140	10.9	0.400	3.8
	65DVS51.5	65DVS51.5A	DVS1432	性能変更あり	0.140	14.4	0.544	4.2
65	65DVS52.2	65DVS52.2A	DVS1442	性能変更あり	0.140	16.8	0.724	6.0
	65DVS53.7	65DVS53.7A	DVS1452	性能変更あり	0.140	22.1	0.900	8.9
	65DVS55.5	65DVS55.5	DVS146		—	—	—	—
	65DVS57.5	65DVS57.5	DVS147		—	—	—	—
80	80DVS5.75A	80DVS5.75A	DVS1522		0.140	10.9	0.400	3.8
	80DVS51.5	80DVS51.5A	DVS1532	性能変更あり	0.140	14.4	0.544	4.2
	80DVS52.2	80DVS52.2A	DVS1542	性能変更あり	0.140	16.8	0.724	6.0
	80DVS53.7	80DVS53.7A	DVS1552	性能変更あり	0.140	22.1	0.900	8.9
	80DVS55.5	80DVS55.5	DVS156		—	—	—	—
	80DVS57.5	80DVS57.5	DVS157		—	—	—	—

●DVSA型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
40	40DVSA5.15SA	40DVSA5.15SA	DVSA1022		0.020	5.3	0.070	3.1
	40DVSA5.15A	40DVSA5.15A	DVSA1222		0.020	5.3	0.070	3.1
	40DVSA5.25SA	40DVSA5.25SB	DVSA1033	性能変更あり	0.020	8.2	0.083	4.9
	40DVSA5.25A	40DVSA5.25B	DVSA1233	性能変更あり	0.020	8.2	0.083	4.9
50	50DVSA5.15SA	50DVSA5.15SA	DVSA1042		0.040	4.0	0.143	1.5
	50DVSA5.15A	50DVSA5.15A	DVSA1322		0.040	4.0	0.143	1.5
	50DVSA5.25SA	50DVSA5.25SA	DVSA1052		0.035	6.6	0.214	1.8
	50DVSA5.25A	50DVSA5.25A	DVSA1332		0.035	6.6	0.214	1.8
	50DVSA5.4SA	50DVSA5.4SB	DVSA1063	性能変更あり	0.035	9.7	0.243	3.0
	50DVSA5.4A	50DVSA5.4B	DVSA1343	性能変更あり	0.035	9.7	0.243	3.0
	50DVSA5.75A	50DVSA5.75A	DVSA1352		0.035	14.8	0.200	9.0
	50DVSA51.5	50DVSA51.5A	DVSA1362	性能変更あり	0.035	20.4	0.220	12.5
	65DVSA5.75A	65DVSA5.75A	DVSA1422		0.140	10.9	0.400	3.8
	65DVSA51.5	65DVSA51.5A	DVSA1432	性能変更あり	0.140	14.4	0.544	4.2
	65DVSA52.2	65DVSA52.2A	DVSA1442	性能変更あり	0.140	16.8	0.724	6.0
	65DVSA53.7	65DVSA53.7A	DVSA1452	性能変更あり	0.140	22.1	0.900	8.9
80	80DVSA5.75A	80DVSA5.75A	DVSA1522		0.140	10.9	0.400	3.8
	80DVSA51.5	80DVSA51.5A	DVSA1532	性能変更あり	0.140	14.4	0.544	4.2
	80DVSA52.2	80DVSA52.2A	DVSA1542	性能変更あり	0.140	16.8	0.724	6.0
	80DVSA53.7	80DVSA53.7A	DVSA1552	性能変更あり	0.140	22.1	0.900	8.9

●DVSJ型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
40	40DVSJ5.15SA	40DVSJ5.15SA	DVSJ1022		0.020	5.3	0.070	3.1
	40DVSJ5.15A	40DVSJ5.15A	DVSJ1222		0.020	5.3	0.070	3.1
	40DVSJ5.25SA	40DVSJ5.25SB	DVSJ1033	性能変更あり	0.020	8.2	0.083	4.9
	40DVSJ5.25A	40DVSJ5.25B	DVSJ1233	性能変更あり	0.020	8.2	0.083	4.9
50	50DVSJ5.15SA	50DVSJ5.15SA	DVSJ1042		0.040	4.0	0.143	1.5
	50DVSJ5.15A	50DVSJ5.15A	DVSJ1322		0.040	4.0	0.143	1.5
	50DVSJ5.25SA	50DVSJ5.25SA	DVSJ1052		0.035	6.6	0.214	1.8
	50DVSJ5.25A	50DVSJ5.25A	DVSJ1332		0.035	6.6	0.214	1.8
	50DVSJ5.4SA	50DVSJ5.4SB	DVSJ1063	性能変更あり	0.035	9.7	0.243	3.0
	50DVSJ5.4A	50DVSJ5.4B	DVSJ1343	性能変更あり	0.035	9.7	0.243	3.0
	50DVSJ5.75A	50DVSJ5.75A	DVSJ1352		0.035	14.8	0.200	9.0
	50DVSJ51.5	50DVSJ51.5A	DVSJ1362	性能変更あり	0.035	20.4	0.220	12.5
	65DVSJ5.75A	65DVSJ5.75A	DVSJ1422		0.140	10.9	0.400	3.8
	65DVSJ51.5	65DVSJ51.5A	DVSJ1432	性能変更あり	0.140	14.4	0.544	4.2
	65DVSJ52.2	65DVSJ52.2A	DVSJ1442	性能変更あり	0.140	16.8	0.724	6.0
	65DVSJ53.7	65DVSJ53.7A	DVSJ1452	性能変更あり	0.140	22.1	0.900	8.9
80	80DVSJ5.75A	80DVSJ5.75A	DVSJ1522		0.140	10.9	0.400	3.8
	80DVSJ51.5	80DVSJ51.5A	DVSJ1532	性能変更あり	0.140	14.4	0.544	4.2
	80DVSJ52.2	80DVSJ52.2A	DVSJ1542	性能変更あり	0.140	16.8	0.724	6.0
	80DVSJ53.7	80DVSJ53.7A	DVSJ1552	性能変更あり	0.140	22.1	0.900	8.9

●DVSH型


口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DVSH5.4	50DVSH5.4A	DVSH1342	性能変更あり	0.035	9.7	0.243	3.0
	50DVSH5.75	50DVSH5.75A	DVSH1352	性能変更あり	0.035	13.8	0.200	8.0
	50DVSH51.5	50DVSH51.5A	DVSH1362	性能変更あり	0.035	19.9	0.220	12.0
	65DVSH5.75	65DVSH5.75	DVSH1421		0.140	10.9	0.400	3.8
65	65DVSH51.5	65DVSH51.5A	DVSH1432	性能変更あり	0.140	14.4	0.544	4.2
	65DVSH52.2	65DVSH52.2A	DVSH1442	性能変更あり	0.140	15.3	0.664	6.0
	65DVSH53.7	65DVSH53.7A	DVSH1452	性能変更あり	0.140	21.6	0.900	8.4
	80DVSH5.75	80DVSH5.75	DVSH1521		0.140	10.9	0.400	3.8
80	80DVSH51.5	80DVSH51.5A	DVSH1532	性能変更あり	0.140	14.4	0.544	4.2
	80DVSH52.2	80DVSH52.2A	DVSH1542	性能変更あり	0.140	15.3	0.664	6.0
	80DVSH53.7	80DVSH53.7A	DVSH1552	性能変更あり	0.140	21.6	0.900	8.4

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

DVSL型

■選定図



●DVSL型


口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m³/min	全揚程 m	吐出し量 m³/min	全揚程 m
50	50DVSL5.4	50DVSL5.4	DVSL121		0.020	9.2	0.180	5.1
	50DVSL5.75	50DVSL5.75	DVSL122		0.020	13.2	0.190	8.3
	50DVSL51.5	50DVSL51.5	DVSL123		0.020	18.4	0.210	13.2
65	65DVSL51.5	65DVSL51.5	DVSL132		0.180	13.8	0.550	5.4
	65DVSL52.2	65DVSL52.2A	DVSL1331	性能変更あり	0.100	16.4	0.682	7.5
	65DVSL53.7	65DVSL53.7	DVSL134		0.020	21.8	0.900	7.4
80	80DVSL51.5	80DVSL51.5	DVSL142		0.180	13.8	0.550	5.4
	80DVSL52.2	80DVSL52.2A	DVSL1431	性能変更あり	0.100	16.4	0.682	7.5
	80DVSL53.7	80DVSL53.7	DVSL144		0.020	21.8	0.900	7.4

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

DL型

■選定図



●DL型

口径 mm	旧機名	新機名	新商品 コード	備考
50	50DL5.4A	50DL5.4A	DL1112	
	50DL5.75A	50DL5.75A	DL1122	
	65DL51.5	65DL51.5	DL121	
65	65DL55.5A	65DL55.5A	DL1221	
	65DL57.5A	65DL57.5A	DL1231	
	65DL511A	65DL511A	DL1241	
	65DL515A	65DL515A	DL1251	
	65DL518A	65DL518A	DL1261	
	65DL522A	65DL522A	DL1271	
	80DL51.5	80DL51.5	DL131	
80	80DL52.2	80DL52.2	DL132	
	80DL53.7	80DL53.7	DL133	
	80DL55.5A	80DL55.5A	DL1911	
	80DL55.5	80DL55.5	DL134	
	80DL57.5A	80DL57.5A	DL1921	
	80DL57.5	80DL57.5	DL135	
	80DL511A	80DL511A	DL1361	
	80DL515A	80DL515A	DL1371	
	80DL518A	80DL518A	DL1381	
	80DL522A	80DL522A	DL1391	
	100DL53.7	100DL53.7	DL140	
100	100DL55.5	100DL55.5	DL145	
	100DL57.5	100DL57.5	DL146	
	100DL55.5	100DL55.5	DL141	
	100DL57.5	100DL57.5	DL142	
	100DL511	100DL511	DL143	
	100DL515	100DL515	DL144	
	100DL518	100DL518	DL147	
	150DL55.5	150DL55.5	DL151	
	150DL57.5	150DL57.5	DL152	
	150DL511	150DL511	DL153	
150	150DL515	150DL515	DL154	
	150DL518	150DL518	DL155	
	150DL522	150DL522	DL156	
	150DL530	150DL530	DL157	
	150DL537	150DL537	DL158	
	150DL545	150DL545	DL159	
	200DL55.5	200DL55.5	DL161	
	200DL57.5	200DL57.5	DL162	
	200DL511	200DL511	DL163	
	200DL515	200DL515	DL164	
200	200DL518	200DL518	DL165	
	200DL522	200DL522	DL166	
	200DL530	200DL530	DL167	
	200DL537	200DL537	DL168	
	200DL545	200DL545	DL169	
	250DL57.5	250DL57.5A	DL1712	性能変更あり
	250DL511	250DL511A	DL1722	
	250DL515	250DL515	DL173	
250	250DL518	250DL518	DL174	
	250DL522	250DL522	DL175	
	250DL530	250DL530	DL176	
	250DL537	250DL537	DL177	
	250DL545	250DL545	DL178	
	300DL511	300DL511	DL181	
	300DL515	300DL515	DL182	
300	300DL518	300DL518	DL183	
	300DL522	300DL522	DL184	
	300DL530	300DL530	DL185	
	300DL537	300DL537	DL186	
	300DL545	300DL545	DL187	

吐出し量 m³/min	全揚程 m	吐出し量 m³/min	全揚程 m
0.050	7.2	0.300	3.3
0.050	10.9	0.425	3.2
0.070	15.5	0.450	9.9
0.100	23.8	0.500	21.6
0.100	28.7	0.500	26.8
0.100	35.7	1.200	27.5
0.100	40.8	1.500	30.9
0.100	46.8	1.500	36.3
0.100	51.3	1.500	40.6
0.200	12.2	0.950	3.3
0.100	15.8	1.200	4.0
0.100	19.1	1.200	10.4
0.100	23.8	0.500	21.6
0.200	22.0	1.600	12.3
0.100	28.7	0.500	26.8
0.200	27.3	1.800	15.3
0.100	35.7	1.200	27.5
0.100	40.8	1.500	30.9
0.100	46.8	1.500	36.3
0.100	51.3	1.500	40.6
0.500	14.0	1.900	5.0
0.200	22.0	1.600	12.3
0.200	27.3	1.800	15.3
0.500	16.1	2.290	8.3
0.500	20.8	2.300	11.5
0.500	28.4	2.500	16.0
0.500	33.0	2.600	20.6
0.500	39.0	2.600	24.0
1.500	11.2	3.050	5.8
1.500	15.2	3.300	8.3
1.500	20.0	3.600	11.5
1.500	25.8	3.700	15.2
1.500	28.3	3.800	18.0
1.500	33.0	4.000	20.5
1.600	33.4	6.150	20.0
1.500	37.0	6.450	22.2
1.350	42.1	6.850	25.4
2.600	6.5	3.800	4.0
2.900	9.6	4.700	5.8
3.100	13.2	5.000	9.0
3.400	17.0	5.300	12.0
3.500	19.4	5.300	13.5
3.500	23.2	5.500	15.0
1.600	33.4	6.150	20.0
1.500	37.0	6.450	22.2
1.350	42.1	6.850	25.4
3.800	6.2	5.235	4.0
4.300	10.4	7.100	4.8
4.500	13.0	7.250	6.4
4.500	15.7	7.500	7.3
4.500	17.2	8.000	8.2
6.350	20.9	10.900	7.8
6.750	23.9	12.400	7.4
5.550	29.3	12.800	8.4
6.000	5.5	8.300	4.0
6.000	8.0	10.700	4.4
6.300	9.5	11.000	4.8
6.500	11.9	12.000	6.4
6.350	20.9	10.900	7.8
6.750	23.9	12.400	7.4
5.550	29.3	12.800	8.4

●DLA型

口径 mm	旧機名	新機名	新商品 コード	備考
50	50DLA5.4A	50DLA5.4A	DLA1112	
	50DLA5.75A	50DLA5.75A	DLA1122	
65	65DLA51.5	65DLA51.5	DLA121	
	80DLA51.5	80DLA51.5	DLA131	
80	80DLA52.2	80DLA52.2	DLA132	
	80DLA53.7	80DLA53.7	DLA133	
100	100DLA53.7	100DLA53.7	DLA140	

吐出し量 m³/min	全揚程 m	吐出し量 m³/min	全揚程 m
0.050	7.2	0.300	3.3
0.050	10.9	0.425	3.2
0.070	15.5	0.450	9.9
0.200	12.2	0.950	3.3
0.100	15.8	1.200	4.0
0.100	19.1	1.200	10.4
0.500	14.0	1.900	5.0

●DLJ型

口径 mm	旧機名	新機名	新商品 コード	備考
50	50DLJ5.4A	50DLJ5.4A	DLJ1112	
	50DLJ5.75A	50DLJ5.75A	DLJ1122	
65	65DLJ51.5	65DLJ51.5	DLJ121	
	80DLJ51.5	80DLJ51.5	DLJ131	
80	80DLJ52.2	80DLJ52.2	DLJ132	
	80DLJ53.7	80DLJ53.7	DLJ133	
100	100DLJ53.7	100DLJ53.7	DLJ140	


吐出し量 m³/min	全揚程 m	吐出し量 m³/min	全揚程 m
0.050	7.2	0.300	3.3
0.050	10.9	0.425	3.2
0.070	15.5	0.450	9.9
0.200	12.2	0.950	3.3
0.100	15.8	1.200	4.0
0.100	19.1	1.200	10.4
0.500	14.0	1.900	5.0

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

DV2型

■選定図



●DV2型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DV25. 25SA	50DV25. 25SA	DV21051		0.060	4.1	0.200	1.8
	50DV25. 25A	50DV25. 25A	DV21331		0.060	4.1	0.200	1.8
	50DV25. 4SA	50DV25. 4SB	DV21062	性能変更あり	0.060	5.6	0.261	2.0
	50DV25. 4A	50DV25. 4B	DV21342	性能変更あり	0.060	5.6	0.261	2.0
	50DV25. 75A	50DV25. 75A	DV21351		0.060	8.9	0.260	6.2
	50DV251. 5	50DV251. 5	DV2136		0.060	12.9	0.280	9.0
65	65DV25. 75A	65DV25. 75B	DV21422	性能変更あり	0.160	6.7	0.457	2.6
	65DV251. 5	65DV251. 5A	DV21431		0.180	10.0	0.710	3.5
80	80DV25. 75A	80DV25. 75B	DV21522	性能変更あり	0.160	6.7	0.457	2.6
	80DV251. 5	80DV251. 5A	DV21531		0.180	10.0	0.710	3.5

●DV2A型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DV2A5. 25SA	50DV2A5. 25SA	DV2A1051		0.060	4.1	0.200	1.8
	50DV2A5. 25A	50DV2A5. 25A	DV2A1331		0.060	4.1	0.200	1.8
	50DV2A5. 4SA	50DV2A5. 4SB	DV2A1062	性能変更あり	0.060	5.6	0.261	2.0
	50DV2A5. 4A	50DV2A5. 4B	DV2A1342	性能変更あり	0.060	5.6	0.261	2.0
	50DV2A5. 75A	50DV2A5. 75A	DV2A1351		0.060	8.9	0.260	6.2
	50DV2A51. 5	50DV2A51. 5	DV2A136		0.060	12.9	0.280	9.0
65	65DV2A5. 75A	65DV2A5. 75B	DV2A1422	性能変更あり	0.160	6.7	0.457	2.6
	65DV2A51. 5	65DV2A51. 5A	DV2A1431		0.180	10.0	0.710	3.5
80	80DV2A5. 75A	80DV2A5. 75B	DV2A1522	性能変更あり	0.160	6.7	0.457	2.6
	80DV2A51. 5	80DV2A51. 5A	DV2A1531		0.180	10.0	0.710	3.5

●DV2J型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DV2J5. 25SA	50DV2J5. 25SA	DV2J1051		0.060	4.1	0.200	1.8
	50DV2J5. 25A	50DV2J5. 25A	DV2J1331		0.060	4.1	0.200	1.8
	50DV2J5. 4SA	50DV2J5. 4SB	DV2J1062	性能変更あり	0.060	5.6	0.261	2.0
	50DV2J5. 4A	50DV2J5. 4B	DV2J1342	性能変更あり	0.060	5.6	0.261	2.0
	50DV2J5. 75A	50DV2J5. 75A	DV2J1351		0.060	8.9	0.260	6.2
	50DV2J51. 5	50DV2J51. 5	DV2J136		0.060	12.9	0.280	9.0
65	65DV2J5. 75A	65DV2J5. 75B	DV2J1422	性能変更あり	0.160	6.7	0.457	2.6
	65DV2J51. 5	65DV2J51. 5A	DV2J1431		0.180	10.0	0.710	3.5
80	80DV2J5. 75A	80DV2J5. 75B	DV2J1522	性能変更あり	0.160	6.7	0.457	2.6
	80DV2J51. 5	80DV2J51. 5A	DV2J1531		0.180	10.0	0.710	3.5

●DV2H型


口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DV2H5. 4	50DV2H5. 4A	DV2H1341	性能変更あり	0.060	5.6	0.261	2.0
	50DV2H5. 75	50DV2H5. 75	DV2H135		0.060	8.9	0.260	6.2
	50DV2H51. 5	50DV2H51. 5	DV2H136		0.060	12.9	0.280	9.0
65	65DV2H5. 75	65DV2H5. 75A	DV2H1421	性能変更あり	0.160	6.7	0.457	2.6
	65DV2H51. 5	65DV2H51. 5A	DV2H1431		0.180	10.0	0.710	3.5
80	80DV2H5. 75	80DV2H5. 75A	DV2H1521	性能変更あり	0.160	6.7	0.457	2.6
	80DV2H51. 5	80DV2H51. 5A	DV2H1531		0.180	10.0	0.710	3.5

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

DV型

■選定図



●DV型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DV5.4B	50DV5.4B	DV1103		0.060	4.5	0.370	2.0
	50DV5.75B	50DV5.75B	DV1113		0.060	7.1	0.480	3.0
	50DV51.5A	50DV51.5A	DV1122		0.060	9.6	0.410	7.5
65	65DV5.75B	65DV5.75B	DV1203		0.100	5.3	0.700	2.0
	65DV51.5A	65DV51.5B	DV1213	性能変更あり	0.380	6.8	0.670	4.9
	65DV52.2A	65DV52.2A	DV1222		0.200	10.5	0.830	7.3
	65DV53.7A	65DV53.7A	DV1232		0.200	13.6	0.960	9.8
	65DV55.5A	65DV55.5A	DV1242		0.200	17.0	0.940	13.2
	65DV57.5A	65DV57.5A	DV1252		0.200	20.4	1.050	16.0
	65DV511A	65DV511A	DV1262		0.200	25.8	1.200	20.0
	80DV51.5A	80DV51.5A	DV1302		0.630	5.6	1.030	3.0
80	80DV52.2A	80DV52.2A	DV1312		0.800	6.8	1.200	4.0
	80DV53.7A	80DV53.7A	DV1322		0.960	9.3	1.380	6.8
	80DV55.5A	80DV55.5A	DV1332		0.930	13.2	1.420	9.8
	80DV57.5A	80DV57.5A	DV1342		1.050	15.9	1.600	12.0
	80DV511A	80DV511A	DV1352		1.200	19.5	1.850	15.0
	80DVC511	80DVC511	DVC135		—	—	—	—
	80DVC515	80DVC515	DVC136		—	—	—	—
	80DVD511	80DVD511	DVD135		—	—	—	—
	80DVD515	80DVD515	DVD136		—	—	—	—
	80DVD518	80DVD518	DVD137		—	—	—	—
	80DVD522	80DVD522	DVD138		—	—	—	—
	100DV53.7A	100DV53.7A	DV1412		1.380	6.7	1.900	4.0
100	100DV55.5A	100DV55.5A	DV1422		1.400	9.1	1.900	7.0
	100DV57.5A	100DV57.5A	DV1432		1.600	11.5	2.140	8.9
	100DV511A	100DV511A	DV1442		1.800	15.4	2.500	11.8
	100DVC511	100DVC511	DVC144		—	—	—	—
	100DVC515	100DVC515	DVC145		—	—	—	—
	100DVC518	100DVC518	DVC146		—	—	—	—
	100DVD515	100DVD515	DVD145		—	—	—	—
	100DVD518	100DVD518	DVD146		—	—	—	—
125	100DVD522	100DVD522	DVD147		—	—	—	—
	125DVB57.5	125DVB57.5	DV151		—	—	—	—
	125DVB511	125DVB511	DV152		—	—	—	—
	125DVB515	125DVB515	DV153		—	—	—	—
	125DVC511	125DVC511	DVC152		—	—	—	—
	125DVC515	125DVC515	DVC153		—	—	—	—
	125DVC518	125DVC518	DVC154		—	—	—	—
	125DVC522	125DVC522	DVC155		—	—	—	—

●DVA型

口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DVA5.4B	50DVA5.4B	DVA1103		0.060	4.5	0.370	2.0
	50DVA5.75B	50DVA5.75B	DVA1113		0.060	7.1	0.480	3.0
	50DVA51.5A	50DVA51.5A	DVA1122		0.060	9.6	0.410	7.5
65	65DVA5.75B	65DVA5.75B	DVA1203		0.100	5.3	0.700	2.0
	65DVA51.5A	65DVA51.5B	DVA1213	性能変更あり	0.380	6.8	0.670	4.9
	65DVA52.2A	65DVA52.2A	DVA1222		0.200	10.5	0.830	7.3
	65DVA53.7A	65DVA53.7A	DVA1232		0.200	13.6	0.960	9.8
	80DVA51.5A	80DVA51.5A	DVA1302		0.630	5.6	1.030	3.0
80	80DVA52.2A	80DVA52.2A	DVA1312		0.800	6.8	1.200	4.0
	80DVA53.7A	80DVA53.7A	DVA1322		0.960	9.3	1.380	6.8
100	100DVA53.7A	100DVA53.7A	DVA1412		1.380	6.7	1.900	4.0

●DVJ型


口径 mm	旧機名	新機名	新商品 コード	備考	吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
50	50DVJ5.4B	50DVJ5.4B	DVJ1103		0.060	4.5	0.370	2.0
	50DVJ5.75B	50DVJ5.75B	DVJ1113		0.060	7.1	0.480	3.0
	50DVJ51.5A	50DVJ51.5A	DVJ1122		0.060	9.6	0.410	7.5
65	65DVJ5.75B	65DVJ5.75B	DVJ1203		0.100	5.3	0.700	2.0
	65DVJ51.5A	65DVJ51.5B	DVJ1213	性能変更あり	0.380	6.8	0.670	4.9
	65DVJ52.2A	65DVJ52.2A	DVJ1222		0.200	10.5	0.830	7.3
	65DVJ53.7A	65DVJ53.7A	DVJ1232		0.200	13.6	0.960	9.8
	80DVJ51.5A	80DVJ51.5A	DVJ1302		0.630	5.6	1.030	3.0
80	80DVJ52.2A	80DVJ52.2A	DVJ1312		0.800	6.8	1.200	4.0
	80DVJ53.7A	80DVJ53.7A	DVJ1322		0.960	9.3	1.380	6.8
100	100DVJ53.7A	100DVJ53.7A	DVJ1412		1.380	6.7	1.900	4.0

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり


DML2・DMLF型

■選定図



DML2・DMLF型

■選定図



●DML2型

口径 mm	旧機名	新機名	新商品 コード	備考
50	50DML25.75	50DML25.75	DML2112	
	65DML25.75B	65DML25.75B	DML21212	
65	65DML251.5A	65DML251.5A	DML21221	
	65DML252.2A	65DML252.2A	DML21232	
	65DML253.7A	65DML253.7A	DML21242	
80	80DML251.5A	80DML251.5A	DML21322	
	80DML252.2A	80DML252.2B	DML21333	性能変更あり
	80DML253.7A	80DML253.7B	DML21343	性能変更あり
	80DML255.5A	80DML255.5A	DML21352	
	80DML257.5A	80DML257.5A	DML21362	
	80DML2511	80DML2511	DML21371	
100	100DML253.7C	100DML253.7D	DML21415	性能変更あり
	100DML255.5C	100DML255.5C	DML21424	
	100DML257.5C	100DML257.5C	DML21434	
	100DML2511	100DML2511	DML21441	

吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
0.060	9.7	0.730	3.0
0.150	7.8	0.880	3.0
0.150	11.3	1.200	3.6
0.150	13.4	1.200	5.3
0.150	19.1	1.200	10.7
0.150	9.9	1.400	3.0
0.150	12.5	1.600	4.4
0.150	17.8	1.600	9.2
0.150	22.4	2.000	9.6
0.150	25.8	2.000	14.2
0.150	29.5	2.000	20.0
0.280	15.3	1.900	7.9
0.280	19.3	3.450	4.5
0.280	23.4	3.870	5.0
0.280	28.8	4.400	5.9

●DMLF型

口径 mm	旧機名	新機名	新商品 コード	備考
65	65DMLF53.7A	65DMLF53.7A	DMLF124	
80	80DMLF53.7A	80DMLF53.7B	DMLF1341	性能変更あり
	80DMLF55.5A	80DMLF55.5A	DMLF135	
	80DMLF57.5A	80DMLF57.5A	DMLF136	
	80DMLF511	80DMLF511	DMLF137	
100	100DMLF53.7C	100DMLF53.7D	DMLF1411	性能変更あり
	100DMLF55.5C	100DMLF55.5C	DMLF142	
	100DMLF57.5C	100DMLF57.5C	DMLF143	
	100DMLF511	100DMLF511	DMLF144	


吐出し量 m ³ /min	全揚程 m	吐出し量 m ³ /min	全揚程 m
0.150	19.1	1.200	10.7
0.150	17.8	1.600	9.2
0.150	22.4	2.000	9.6
0.150	25.8	2.000	14.2
0.150	29.5	2.000	20.0
0.280	15.3	1.900	7.9
0.280	19.3	3.450	4.5
0.280	23.4	3.870	5.0
0.280	28.8	4.400	5.9

※代表性能曲線の変更あり、機名変更あり

※代表性能曲線の変更なし、機名のみ変更あり

DG型

■選定図



●DG型

口径 mm	旧機名	新機名	新商品 コード	備考
40	40DG5.4	40DG5.4A	DG1112	
	40DG5.75	40DG5.75	DG1121	
	40DG51.0	40DG51.0	DG1131	
	40DG51.5	40DG51.5	DG1141	
50	50DG52.2	50DG52.2	DG1351	
	50DG53.7	50DG53.7	DG1361	

吐出し量 m³/min	全揚程 m	吐出し量 m³/min	全揚程 m
0.020	7.7	0.134	1.5
0.020	11.4	0.160	1.5
0.020	16.0	0.110	11.1
0.020	24.0	0.110	15.0
0.020	21.7	0.270	10.0
0.020	33.0	0.300	20.0

- ※代表性能曲線の変更あり、機名変更あり
- ※代表性能曲線の変更なし、機名のみ変更あり